



# Miscellaneous Tools




Cool-Gel



Acetylene Turbotorch Kit




STK-9



L-1

AR-B  
AR-MC




J40-230




SF-1



Mfg.#	Description	Code #
<b>Cool-Gel® Heat Barrier Spray</b>		
11509	1 Quart Spray	530-0100
Helps protect rubber, plastic, distortion, painted and finished surfaces during soldering, brazing or welding.		
<b>Acetylene Turbotorch Kits</b>		
<b>X-3B Kit.</b> Soft solders to 3", silver solders to 1-5/8". Will bronze braze light to medium gauge steel. Ideally suited for anyone requiring flexibility in work. Kit includes AR-B regulator, AH-12 hose, G-4 quick disconnect handle, A-3 tip and A-11 Tip.		
X-3B	Turbotorch Kit	530-0500
<b>X-4B Kit.</b> Soft solders to 3-5/8", silver solders to 2-1/8". Will bronze braze medium to heavy gauge steel. Suited for heavier silver soldering and brazing jobs. Kit includes: AR-B regulator, AH-12 hose, G-4 quick disconnect handle, A-5 tip and A-14 tip.		
X-4B	Turbotorch Kit	530-0505
<b>Turbotorch Hand Torches</b>		
<b>STK-9</b> includes STK-R pressure regulator and ST-3 large tip.		
STK-9	Turbotorch Kit	530-0606
<b>Accessories/ Spare Parts</b>		
L-1	Flint Spark Lighter	530-0614
Single flint, cup type, round file. Striker		
F-1	Flint Renewals 5/Box	530-0616
Box of six flints for L-1 striker.		
AR-B	Adjustable Regulator w/ contents gauge	530-0620
Fits "B" tank and 3/8" - 24 L.H. hose nut.		
AR-MC	Adjustable Regulator w/contents gauge	530-0622
Fits "MC" tank and 3/8" 24 L.H. hose nut.		
AG-1	Contents Gauge for Acetylene Regulator	530-0626
MCT	Turbotorch B to MC Adaptor	530-0630
J40-230	Box Wrench for B&MC Tank	530-0640
<b>Brazing Products</b>		
SF-1	Silverflow Brazing Alloy 1 LB	530-0700
Substitute for 2% - 15% silver content brazing alloys. Medium temperature brazing alloy. Self-fluxing on copper. Ideally suited for air conditioning, plumbing and electrical connections.		




Acetylene Hose



G-4



Cherne Gripper Mechanical Plug



Cherne Econ-O-Grip Test Plug

Mfg.#	Description	Code #
-------	-------------	--------

**Turbtorch Acetylene Hose.** 3/16" acetylene hoses with 3/8" - 24 L.H. Nuts. Fits G-4; AR-B and AR-MC pressure regulators.

AH-12	12 feet	530-0760
AH-24	24 feet	530-0762

**Turbtorch Acetylene Handle**

G-4	Turbtorch Acetylene Handle Handle with adjustable valve and quick disconnect. Fits A-2 through A-32 acetylene tips including MSA-8.	530-0780
-----	---	----------

**Turbtorch Tips.**

A-2	Turbtorch Acetylene Tip Size of flame: 3/16" For soft soldering 1/8" to 1/2", silver soldering 1/8" to 1/4". Uses 2.0 cubic feet fuel/ hour.	530-0790
A-3	Turbtorch Acetylene Tip Size of flame: 1/4" For soft soldering 1/4" to 1", silver soldering 1/8" to 1/2". Uses 3.4 cubic feet fuel/ hour.	530-0792
A-5	Turbtorch Acetylene Tip Size of flame: 5/16" For soft soldering 3/4" to 1-1/2", silver soldering 1/4" to 3/4". Uses 5.8 cubic feet fuel/ hour.	530-0794
A-8	Turbtorch Acetylene Tip Size of flame: 3/8" For soft soldering 1" to 2", silver soldering 1/2" to 1". Uses 9.2 cubic feet fuel/ hour.	530-0798
A-11	Turbtorch Acetylene Tip Size of flame: 7/16" For soft soldering 1-1/2" to 3", silver soldering 3/4" to 1-1/2". Uses 11.0 cubic feet fuel/ hour.	530-0802
A-14	Turbtorch Acetylene Tip Size of flame: 1/2" For soft soldering 2" to 3-1/2", silver soldering 1" to 2". Uses 16.0 cubic feet fuel/ hour.	530-0805

**Cherne Gripper Mechanical Plugs.** End of pipe gripper, twist to seal wing nut operation. Made from high impact ABS plastic plates and natural rubber "O" ring; all connected by a zinc-plated steel carriage bolt and wing nut.

270-210	1-1/2"	530-2670
270-229	2"	530-2671
270-237	3"	530-2672
270-245	4"	530-2673

**Cherne Econ-O-Grip Test Plug.** A low pressure/no pressure utility grade pipe dust cover or temporary pipe cap. A carriage bolt and wing nut operate and secure the sealing system.

271-159	1-1/2"	530-0107
271-527	2"	530-0108
271-535	3"	530-0110
271-543	4"	530-0111

**Cherne Test Ball.** Flexible sealing design overcomes common problems like



Mfg.#	Description	Code #
<p>out of round pipe and pipe with slightly differing interior dimensions. Recommended for use in pipeline constructed of ABS, cast iron, clay, concrete, copper or PVC. Made of natural rubber and feature a removable zinc-plated steel chain, clamp and ring. The inflator is molded-in and has a standard tire valve thread with cap.</p>		
270-016	Test Ball 1-1/4",1-1/2"	530-2711
270-024	Test Ball 2"	530-2712
270-032	Test Ball 3"	530-2713
270-040	Test Ball 4"	530-2714
270-059	Test Ball 5"	530-2715
270-067	Test Ball 6"	530-2716
<p><b>Cherne Long Test Ball.</b> Designed for waste stack testing from the floor drain to the sewer pipe sealing off both the waste stack and downstream sewer pipe. Made of natural rubber and have a removable zinc-plated steel ring, clamp and chain. There is a molded-in inflator with a standard tire valve thread and cap. Designed to work in pipe made only of these materials: ABS, cast iron, clay, concrete, copper or PVC.</p>		
271-047	Long Test Ball 4" x 26" with 36" hose	530-2774
<b>Test Pump</b>		
273-968	Cherne Test Pump Complete	530-2783
<b>Parts</b>		
274-011	Cherne 24" Extension Hose	530-2789
274-038	Cherne 36" Extension Hose	530-2790
<p><b>Air Gauge with Test Body</b> Offered as a reliable means to monitor and conduct pressure tests. All gauges are designed with unbreakable plastic faces, and have brass connections. These are offered with chrome-plated test bodies.</p>		
019-698	Gauge 0 - 30PSI	530-8010
016-718	Gauge 0 - 100PSI	530-8015
<p><b>Jiffy Test Pumps</b> delivers a large volume of air for testing of vent and waste.</p>		
200	Deluxe w/Gauge	530-2800
100	Econo less Gauge	530-2805
<p><b>Jiffy Fitting Boxes</b>, 24 Gauge galvanized metal storage system with tight fitting hinged cover.</p>		
100	4" x 16" x 20"	530-2845
200	4" x 8" x 20"	530-2840
<b>Nipple Caddy</b>		
N70-050	Nipple Caddy Tray 1/2"	530-2855
N70-075	Nipple Caddy Tray 3/4"	530-2860
<b>Suction Gun</b>		
Frisch	Last Drop Suction Gun	530-2870




Mfg.#	Description	Code #
-------	-------------	--------

**Bernz-O-Matic**

**T655** - Burns hotter than other torches because it can use either propane or MAPP gas. Stays lit, even in high winds.

Features: Lock Button - Push down to lock flam ON when job requires both hands  
 Squeeze Trigger - Turns on and ignites gas instantly.  
 Comfortable Grip - Allows torch to be used with accessory hose as well as on any standard cylinder.  
 Built-in Regulator - Allows torch to burn in any position, even upside down for hard-to-reach places.  
 Cast Aluminum Body.  
 Heat Output: BTU output per hour - Propane - 7,250  
 BTU output per hour - MAPP - 7,131



T655

T655	Self Igniting Torch Head	530-2875
------	--------------------------	----------



MT-1



PT-1

PT-1	LP Disposal Cylinder	530-2970
------	----------------------	----------

MT-1	MAPP Gas Disp. Cylinder	530-2972
	NO. B Gas Tank AND GAS*	530-3526
	NO. MC Gas Tank AND GAS*	530-3531


\*We credit return empty MC or B tank for exchange.



Plastic Tube Cutter

**Plastic Tube Cutter.** Ratchet action, steel replaceable blades, rugged compact construction.

PTC-63	Plastic Tube Cutter -2 Inch	530-3700
	Replacement Blace for PTC63	530-3705



Auto Cut Cutter

**Auto Cut Copper Tubing Cutter.** Great in Tight Places

ATC-12	Autocut Tube Cutter - 1/2"	530-4250
ATC-34	Autocut Tube Cutter - 3/4"	530-4254
ATCW	Autocut Cutter Wheel fits 1/2&3/4Cutter	530-4262



GENERAL WIRE SPRING



Super Vee



Arrow Head



Flexible  
Arrow Head



Side Cutter  
Blade



Boring Gimlet



Down Head Boring Gimlet



25HE1




35HE2



Standard Closet Auger



Down Head



Ken-Way Jr.

Mfg.#	Description	Code #
-------	-------------	--------

**Super Vee Handylelectric Drain Cleaning Tool.** Complete drain cleaning system for lines up through 3" diameter. For kitchen, bathroom, laundry drains, and lines up through 3" in diameter. Has a patented Slide-Action Chuck built right into the grip shield. Just slide it backward to grip cable; forward to release it. Automatically adjusts for different size cables. You get your cable into the line faster, pull it out faster, and have full control at all times. To switch to a different diameter cable, loosen three screws, pull front of drum off cable, and load in another cartridge. Motor is double insulated, with reverse and variable speed switch.

Specifications:

- Motor - All ball-bearing, double-insulated, reversible motor with speed control; 0-400 rpm.
- Drum - Heavy gauge stamped aluminum with inner drum to prevent cable tangling.
- Capacity - 25 feet of 1/4"; 35 feet of 3/8" cable. All cables are left hand wound and reinforced with a wire rope center.
- Cutter Set - Same as HECS (See Below)
- Cable Cartridges - Light weight, impact resistant plastic.
- Slide -Action Chuck - Grip shield moves back to engage cable, forward to release it. Automatically adjusts for different diameter cables. Entire Unit UL approved.

SV-B-WC	Super Vee with Case	530-4309
---------	---------------------	----------

HECS	5-piece Handylelectric Cutter Set	530-4313
	Includes AH - Arrow Head Starting Drill	
	FAH - Flexible Arrow Head (for sharp turns in small lines)	
	1-1/4 SCB- Side Cutter Blade (for cutting and scraping)	
	BG - Boring Gimlet - (for removing loose objects)	
DHBG - Down Head Boring Gimlet (goes down waste, not up the stack)		

BG	Boring Gimlet for Mini-Rooter & Super-V	530-4315
----	---	----------

**Flexicore Cables.**

25HE1	Basin Snake 1/4 x 25 with basin plug head (bulb-type)	530-4323
35HE2	Basin Snake 3/8 x 35 with female connector	530-4335

**Closet Augers with Flexicore Double Layer Wire Rope Center.**

3FL	Standard Closet Auger 3'	530-5021
3FL-DH	Down Head Closet Auger 3'	530-5025
The flexible down head works like a cushioned universal joint; follows bowl contours and springs through sharply angled passages while protecting inner walls from chipping or breaking.		

**Ken-Way Jr Drain Rodder.** Cleans 1" to 4" drains, lavatories, toilets, waterlines, stacks and flues. Simple feed and return, 1/4 HP Rev. motor, no chucks, no gears. Operates upright or horizontal. Air-powered foot switch. 3/8" x 50 foot cable, 1" & 1-1/4" scraping blades.

KEN-WAY Jr Drain Cleaner	530-5403
KEN-WAY Coil Spring 3/8 x 50	530-5407
KEN-WAY Scraping Blade 1-1/4	530-5428



Pipe Cat



Fitting Cleaning  
Brush

Pipe Cleaning  
Brush




VersaPak



4012 Hack Saw



HSF Hand Saw



PVC Cable Saw




VB1

VB2



VB12



44HC

Mfg.#	Description	Code #
-------	-------------	--------

**Pipe Cat - CUTS, CLEANS AND REAMS COPPER**

Cuts 1/2" and 3/4" L, M or K in 2 Seconds, Cleans Pipe in Seconds, Cleans Fittings - No Changing Brushes 9.6 Volt Battery (2 Batteries) Lightweight and Portable Extremely Dependable - includes case.

PC 1000	Pipe Cutter	530-5500
PC 1200	Pipe Cutter Wheel	530-5502
PC 1310	Replacement Fitting Cleaning Brush	530-5504
PC 1300	Replacement Pipe Cleaning Brush	530-5506

**VersaPak**

VPK 502	Stuff Sorter Pail 5-Gallon Bucket with 2 regular & 2 small trays - fit snugly inside pail	530-5600
---------	---	----------

**Lenox Tri-Fold Saw**

3636	Tri Fold Saw	530-6350
------	--------------	----------

**Lenox - Hack Saw**

Hackmaster High Tension Hand Hacksaw Frame with 12 inch blade. Tension to 28,000 psi.

4012	Hack Saw	530-6400
------	----------	----------

**Hack Saw Blades**

218HE	HS Blade 12" x 18 Teeth	530-6415
224HE	HS Blade 12" x 24 Teeth	530-6417

**PVC/ABS Plastic Pipe Hand Saw.** Designed especially to cut PVC and ABS plastic pipe without binding. Can also do other general cutting of plastic and wood. Cuts on both push and pull strokes. Die-cast aluminum handle, replaceable tempered carbon steel 12" or 18" blade.

HSF-120	12"	530-6430
HSF-180	18"	530-6432

Replacement blades for above saws.

HSB-12	12"	530-6436
HSB-18	18"	530-6438

**PVC Cable Saw. 26" Length**

70390	Cable Saw	530-6450
-------	-----------	----------

**Vari-Bit.** Features double fluted, 118 deg. true drill point. Made of high speed steel, 3 sided shank, steam oxide surface treatment. Cuts much cooler, high heat and wear resistance.

Benefits Cuts 2 times faster, lasts 2 times longer, Clean, burr- free holes  
Eliminates the need for specific sized standard drill bits  
Won't slip in drill chuck  
Requires no center punching, No pilot hole necessary  
Drills various types of material including stainless steel, mild steel, cast iron, plastic and wood.  
Enlarges holes and deburs,makes slots into rounds or rounds into slot

VB1-30881	Hole Sizes 1/8" to 1/2" - 13 sizes	530-6600
VB2-30882	Hole Sizes 9/16" to 1" - 8 sizes	530-6602
VB12-30912	Hole Sizes 7/8" to 1-3/8" - 5 sizes	530-6612


















44HC	Hole Cutter 1-Tooth 2-3/4"	530-6620
------	----------------------------	----------



Mfg.#	Description	Code #
56HC	Hole Cutter 1-Tooth 3-5/8"	530-6625
30002-2L	Arbor for Lenox Holesaw	530-6635
771	ACID Brush - No.2 Tin Handle 3/8" wide - 6" long 100% pure horsehair	530-7907
772	ACID Brush - No.2 Tin Handle 1/2" wide - 6" long, 100% pure horsehair	530-7909
773	DOPE Brush - Wood Handle 3/4" 3/4" wide - horsehair	530-7913
<b>Water Manometer.</b> Adjustable scale with easy to read numbers, 3 feet of clear vinyl tubing. Requires no calibration or special handling. 0" to 16" water column in.		
M-16	Water Manometer	530-8001
<b>Drain King.</b> Made of durable rubber, extremely strong and flexes under pressure with a powerful action, forcing jets of water through the surge valve and up to the blockage. Pulsations continue automatically until the obstruction is loosened and flushed through the drain. No harsh chemicals and no long waits. Connect to garden hose and insert into a line opening closest to the clogged area.		
D186	Drain Flusher 1-1/2"-3" pipe size	530-8050
D501	Drain Flusher 1"-2" pipe size	530-8055
<b>Gloves.</b>		
961-22	Gloves Gray Knit Cotton w/gripper dots	530-8409
4100	Gloves Leather Palm	530-8428
<b>Inside Pipe Cutter.</b> Fits all electric drills, cuts any pipe from 2" up, cuts a variety of materials.		
P70-023	3" shaft - 2 blades inside pipe cutter	530-9000
<b>Inside Cut Blade</b>		
P70-029	Blade only (3-pack)	530-9002
<b>Socket Saver</b>		
Removes plastic pipe from plastic fittings, cuts DWV pipe below slab, fits 1/2" high speed drill, works on ABS or PVC pipe		
J44-150	1-1/2" Socket Saver	530-9010
J44-200	2" Socket Saver	530-9015
J44-300	3" Socket Saver	530-9020
J44-400	4" Socket Saver	530-9025
<b>H.D. Bunge Strap</b>		
S20-021	Bunge Strap 21"	530-9100
S20-031	Bunge Strap 31"	530-9105
<b>MaxStraps</b>		
411	Red Tie Down Strap	530-9152
612	Yellow Tie Down Strap	530-9154
813	Green Tie Down Strap	530-9156
<b>Real-Tite Plugs.</b>		
Countersunk: 5/32 Allen Wrench for installation and removal. This style is designed for a flush finish. It is used in areas such as in a doorway, sidewalk, or warehouse, also commonly used where carpeting will be laid over a clean out such as an office or finished basement. The counter sunk style is considered tamper proof clean out plug.		
	1-1/2	17-5011
	2	17-5013
	2-1/2	17-5015
	3	17-5018
	3-1/2	17-5020
	4	17-5025





American Saw Blades LENOX	length	width	teeth	uses	Pkg Qty	Replaces		Code	
						Malco	Milw.		
 318RC	318RC	3	1/4	18	Contours -metals under 1/8"	5	2-MS18	1102,1163	530-6505
 418R	418R	4	3/4	18	Heavy gauge metal, conduit & tubing	5	2-MC18, 3-MC18, 2-MC14	1171,1183	530-6515
 424R	424R	4	3/4	24	Metal & galv.pipe 18 ga. & under	5	2-MS18	1102,1163	530-6520
 676RC	676RC	6	7/16	6	Wood contours	5	4DL6	3041,1041	530-6525
 610R	610R	6	3/4	10	Wood,compositions, plastic, cast al., non-ferrous metal	5	8MC10	2175,3093	530-6545
 614R,618R	614R,618R	6	3/4	14	Heavy gauge metal, rubber & fiber	5 5	4-MC14, 4-TF14	1179,1182	530-6550
 618R	618R	6	3/4	18	Heavy gauge metal, conduit & tubing	5	44-MC18, 4-TF18	1184,2170	530-6555
 624R,656R	624R,656R	6	3/4	24	Metal & galv.pipe 18 ga. & under	5	4-MC24	2171	530-6560
 656R	656R	6	3/4	6	Rough work in wood	5 5	4-KH6, 4-KH7, 4-KH8, 4-S6,4-S8	3031,1031, 3035,1035	530-6565
 B656R	B656R	6	3/4	6	same as 656-R	25			530-6567
 800RG	800RG	8	3/4"	Med.	Abrasive materials, fiberglass, Carbide Grit Ceramic Tile, Cast Iron Pipe		800RG		530-6568
 810R, 800RG	810R, 800RG	8	3/4	10/14	Wood,compositions, light ferrous metal plastic, cast aluminum	5	8MC10	2175,3093	530-6570
 956R	956R	9	3/4	6	Rough work in wood	5	8KH7	1033,1036, 1043,3036	530-6575
 960R, 966R	960R, 966R	9	7/8	6	Heavy Gauge metal, demolition work	2			530-6577
 966R	966R	9	7/8	10	Rough in work,nail embedded work, demolition work	2			530-6578
 156R	156R	12	3/4	6	Rough work in wood	5	12-KH7, 12-KH8, 12-S6	1032,1042, 3037	530-6580
 110R	110R	12	3/4	10/14	All woods,plastic cast al.	5	12HD10		530-6585