



## Disposers

**Mainline GrindSmart™. The new food waste disposer that delivers faster and finer grinding while using less energy than the leading competitor's brand.**

### Snap & Lock™

All of our units are equipped with the Snap & Lock™ universal mount system which is designed to fit all pre-installed 3-bolt systems, making the installation of your disposer a breeze. All it takes is a twist! Same mounting system as InSinkErator.



Code#	Description	Size
-------	-------------	------

### GrindSmart™ 1/3 HP Waste Disposer

- Snap & Lock™ 3-Bolt Universal Mount system
- High-speed 1900 R.P.M. Permanent Magnet motor
  - Corrosion resistant grinding components
  - Space-saving, compact design
- Safe for properly sized septic tanks.
  - 2 year In-Home warranty

340-3199	1/3 HP with Cord	MLGS13C
----------	------------------	---------

### GrindSmart™ 1/2 HP Waste Disposer

- Snap & Lock™ 3-Bolt Universal Mount system
- High-speed 2600 R.P.M. Permanent Magnet motor
  - Corrosion resistant grinding components
  - Space-saving, compact design
- Safe for properly sized septic tanks.
  - 5 year In-Home warranty

.1096977	1/2 HP LESS Cord	MLGS12
340-3399	1/2 HP with Cord	MLGS12C

### GrindSmart™ 3/4 HP Waste Disposer

- Snap & Lock™ 3-Bolt Universal Mount system
- High-speed 2700 R.P.M. Permanent Magnet motor
  - Stainless steel, rust free grinding components
  - Space-saving, compact design
- Sound insulated for quiet operation
- Safe for properly sized septic tanks.
  - 10 year In-Home warranty

340-3599	3/4 HP with Cord	MLGS34C
----------	------------------	---------



MLGS13C



MLGS12C



MLGS34C

Visit us on the web:  
[www.robertshamilton.com](http://www.robertshamilton.com)  
[www.mainlinecollection.com](http://www.mainlinecollection.com)  
[www.mainlinegrindsmart.com](http://www.mainlinegrindsmart.com)

# LUXART.

## Disposers

The Luxart Finale is the ultimate in grinding performance thanks to its powerful 3/4 or 1 horsepower Permanent Magnet Motor. One Pass Technology™ allows the unit to grind faster and finer. The added layer of the patented Hush Cushion™ keeps all this performance quiet by reducing noise and vibration.

### Snap & Lock™

All of our units are equipped with the Snap & Lock™ universal mount system which is designed to fit all pre-installed 3-bolt systems, making the installation of your disposer a breeze. All it takes is a twist! Same mounting system as InSinkErator.



LXFIN34C



LXFIN1C

Code#	Description	Size
-------	-------------	------

### Finale™ 3/4 HP Food Waste Disposer

- Snap & Lock™ 3-Bolt Universal Mount system
- High-speed 2700 R.P.M. Permanent Magnet motor
- Stainless steel, rust free grinding components
- Sound insulated for quiet operation
- Full armor plating
- Safe for properly sized septic tanks
- 10 year In-Home warranty

340-4000	3/4 HP with Cord	LXFIN34C
----------	------------------	----------

### Finale™ 1 HP Food Waste Disposer

- Snap & Lock™ 3-Bolt Universal Mount system
- High-speed 2800 R.P.M. Permanent Magnet motor
- Stainless steel, rust free grinding components
- Sound insulated for quiet operation
- Full armor plating
- Safe for properly sized septic tanks
- Lifetime In-Home warranty

340-4002	1 HP with Cord	LXFIN1C
----------	----------------	---------

Visit us on the web:  
[www.robertshamilton.com](http://www.robertshamilton.com)  
[www.luxartcollection.com](http://www.luxartcollection.com)  
[www.mainlinegrindsmart.com](http://www.mainlinegrindsmart.com)



Buy it for looks. Buy it for life.®

## Disposers

From innovative faucets to kitchen sinks, you depend on Moen's thoughtful design. You can expect the same performance under the sink with our portfolio of garbage disposals. Built for superior performance, they feature a VORTEX permanent magnet motor to finely grind food waste and help reduce jamming. The pre-installed power cord and Universal Xpress Mount system simplify installation. Professional home replacement service is included in each model's limited in-home warranty, guaranteeing help is there when you need it.

Code#	Description	Size
	<p>RPM (Revolutions Per Minute) 1900 Weight 9.25 lbs Volts 115 Hz/Amps 60/4.5 Drain Connection Size 1½" Dishwasher Connection Size 7/8" Maximum Sink Thickness 1/2"</p> <p><b>MOEN GXP33c 1/3 HP Continuous Feed Disposal</b></p> <ul style="list-style-type: none"> <li>• GX50c Disposal Unit with Universal Xpress Mount™</li> <li>• Pre-installed Power Cord, Hardwire Capable</li> <li>• Removable Splash Guard</li> <li>• Polished Stainless Steel Sink Flange and Drain Stopper</li> <li>• Drain Elbow and Mounting Assembly</li> <li>Warranty &amp; Assurance</li> <li>• 2 year limited warranty with in-home service</li> <li>• Safe for use with properly sized septic systems</li> </ul>	
.1294873	1/3 HP with Cord 1900 RPM	GXP33C
	<p>RPM (Revolutions Per Minute) 2600 Weight 9.25 lbs Volts 115 Hz/Amps 60/4.5 Drain Connection Size 1½" Dishwasher Connection Size 7/8" Maximum Sink Thickness 1/2"</p> <p><b>MOEN GXP50c 1/2 HP Continuous Feed Disposal</b></p> <ul style="list-style-type: none"> <li>• GX50c Disposal Unit with Universal Xpress Mount™</li> <li>• Pre-installed Power Cord, Hardwire Capable</li> <li>• Removable Splash Guard</li> <li>• Polished Stainless Steel Sink Flange and Drain Stopper</li> <li>• Drain Elbow and Mounting Assembly</li> <li>Warranty &amp; Assurance</li> <li>• 3 year limited warranty with in-home service</li> <li>• Safe for use with properly sized septic systems</li> </ul>	
.1280954	1/2 HP with Cord 2600 RPM	GXP50C
	<p>RPM (Revolutions Per Minute) 2600 Weight 9.25 lbs Volts 115 Hz/Amps 60/4.5 Drain Connection Size 1½" Dishwasher Connection Size 7/8" Maximum Sink Thickness 1/2"</p> <p><b>MOEN GX50c 1/2 HP Continuous Feed Disposal</b></p> <ul style="list-style-type: none"> <li>• GX50c Disposal Unit with Universal Xpress Mount™</li> <li>• Pre-installed Power Cord, Hardwire Capable</li> <li>• Removable Splash Guard</li> <li>• Polished Stainless Steel Sink Flange and Drain Stopper</li> <li>• Drain Elbow and Mounting Assembly</li> <li>Warranty &amp; Assurance</li> <li>• 4 year limited warranty with in-home service</li> <li>• Safe for use with properly sized septic systems</li> </ul>	
.1311690	1/2 HP with Cord 2600 RPM	GX50C



GXP33C



GXP50C



GX50C

Visit us on the web:  
[www.robertshamilton.com](http://www.robertshamilton.com)  
[www.moen.com](http://www.moen.com)