

Viega Pexcel Water System

Code#	Description	Pkg	Mfg#
ViegaPEX Ultra			
ViegaPEX Ultra is manufactured to ASTM F876/F877 standards and listed to ANSI/NSF Standards 14 and 61. It is chlorine resistance rated for both traditional (CL-TD) and continuous recirculation (CL-R) applications. ViegaPEX Ultra tubing can handle up to 6 months UV exposure without losing any of its performance properties. ViegaPEX Ultra is rated at 100 psi at 180 degrees F and 160 psi at 73 degrees F.			
Black Coils			
57-0005	1/2" Coil — 100 feet	coil	32721
57-0007	1/2" Coil — 300 feet	coil	32723
57-0022	3/4" Coil — 100 feet	coil	34741
57-0027	3/4" Coil — 300 feet	coil	34743
57-0033	1" Coil — 100 feet	coil	34761
57-0038	1" Coil — 500 feet	coil	34765
57-0041	1-1/4" Coil — 100 feet	coil	34771
57-0046	1-1/2" Coil — 100 feet	coil	34781
Black Straight Lengths			
57-0061	1/2" Straight Length — 20 feet	50/pkg	33720
57-0072	3/4" Straight Length — 20 feet	25/pkg	35745
57-0082	1" Straight Length — 20 feet	5/pkg	35761
57-0087	1-1/4" Straight Length — 20 feet	5/pkg	35771
57-0092	1-1/2" Straight Length — 20 feet	5/pkg	35781
57-0093	2" Straight Length — 20 feet	5/pkg	33791
Red Coils			
57-0094	1/2" Coil — 300 feet	coil	32523
57-0097	3/4" Coil — 300 feet	coil	32543
Red Straight Lengths			
57-0150	1/2" Straight Length — 20 feet	50/pkg	33520
57-0151	3/4" Straight Length — 20 feet	25/pkg	33540
57-0152	1" Straight Length — 20 feet	5/pkg	33551
Blue Coils			
57-0101	1/2" Coil — 300 feet	coil	32623
57-0106	3/4" Coil — 300 feet	coil	32643
Blue Straight Lengths			
57-0160	1/2" Straight Length — 20 feet	50/pkg	33620
57-0161	3/4" Straight Length — 20 feet	25/pkg	33645
57-0162	1" Straight Length — 20 feet	5/pkg	33651




32721



33720




35020



35520



99620



92021

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

FostaPEX Tubing

FostaPEX is fully dimensioned PEX tubing with additional aluminum and PE outer layers to provide form stability and extended UV exposure rating. FostaPEX is listed to ASTM F876/F877 standards and listed to ANSI/NSF Standards 14 and 61 as well as the chlorine resistance rating for traditional domestic (CL-TD) applications. FostaPEX tubing is rated at 100 psi at 180 degrees F and 160 psi at 73 degrees F and is available in silver. FostaPEX bends easily and will hold its shape - excellent for exposed runs in basements or under slab. For use with Viega PureFlow PEX Press fittings only.

Coils

57-0110	150' x 1/2"	coil	35020
57-0120	150' x 3/4"	coil	35040
57-0122	150' x 1"	coil	35060

Lengths

57-0130	20' x 1/2"	lgs	35520
57-0135	20' x 3/4"	lgs	35540
57-0140	20' x 1"	lgs	35560

Bronze PEX Press Fitting System

Bronze PEX Press ProPress Adaptors - Zero Lead

Use these adaptors to transition directly from ViegaPEX or FostaPEX to copper tubing. Press fittings make flameless plumbing and hydronic heating connections fast and simple. The ProPress tool, available through Ridge Tool distribution, is required for the copper connection. ProPress is compatible with type K, L and M copper tubing only.

57-5209	1/2" PEX Press x 1/2" C	5/pkg	99620
57-5212	1/2" PEX Press x 3/4" C	5/pkg	99626
57-5213	3/4" PEX Press x 1/2" C	5/pkg	99630
57-5216	3/4" PEX Press x 3/4" C	5/pkg	99640
57-5218	1" PEX Press x 1" C	5/pkg	99660
57-5220	1-1/4" PEX Press x 1-1/4" C	5/pkg	99670
57-5222	1-1/2" PEX Press x 1-1/2" C	5/pkg	99680
57-0680	2" PEX Press x 2" C	5/pkg	99690

Bronze PEX Press Copper Tubing Adapters - Zero Lead

Use copper tubing adapters to make a PEX Press connection between ViegaPEX or FostaPEX tubing and standard copper tubing. Adapters solder over copper tubing.

57-0702	1/2" PEX Press x 1/2" Copper (female)	5/pkg	92021
57-0712	1/2" PEX Press x 3/4" Copper (female)	5/pkg	92026
57-0722	3/4" PEX Press x 1/2" Copper (female)	5/pkg	92036
57-0732	3/4" PEX Press x 3/4" Copper (female)	5/pkg	92041
57-0752	1" PEX Press x 1" Copper (female)	5/pkg	92060
57-0762	1-1/4" PEX Press x 1-1/4" Copper (female)	5/pkg	92070
57-0772	1-1/2" PEX Press x 1-1/2" Copper (female)	5/pkg	92080
57-0780	2" PEX Press x 2" Copper (female)	5/pkg	92090

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

Bronze PEX Press Copper Fitting Adapters - Zero Lead

Use copper fitting adapters to make PEX Press connections between ViegaPEX or FostaPEX tubing and copper fittings. Adapters fit into solder cup or ProPress fittings.

57-0802	1/2" PEX Press x 1/2" Copper (male)	5/pkg	97520
57-0812	1/2" PEX Press x 3/4" Copper (male)	5/pkg	97525
57-0822	3/4" PEX Press x 1/2" Copper (male)	5/pkg	97535
57-0832	3/4" PEX Press x 3/4" Copper (male)	5/pkg	97540
57-0842	3/4" PEX Press x 1" Copper (male)	5/pkg	97545
57-0852	1" PEX Press x 1" Copper (male)	5/pkg	97560
57-0862	1-1/4" PEX Press x 1-1/4" Copper (male)	5/pkg	97570
57-0872	1-1/2" PEX Press x 1-1/2" Copper (male)	5/pkg	97580
57-0880	2" PEX Press x 2" Copper (male)	5/pkg	97570

Bronze PEX Press Male NPT Adapters - Zero Lead

Use male adapters to make a PEX Press connection between ViegaPEX or FostaPEX tubing and a male NPT thread.

57-0352	1/2" PEX Press x 1/2" M NPT	5/pkg	90521
57-0362	1/2" PEX Press x 3/4" M NPT	5/pkg	90526
57-0377	3/4" PEX Press x 3/4" M NPT	5/pkg	90541
57-0372	3/4" PEX Press x 1/2" M NPT	5/pkg	90542
57-0382	3/4" PEX Press x 1" M NPT	5/pkg	90546
57-0392	1" PEX Press x 3/4" M NPT	5/pkg	90556
57-0402	1" PEX Press x 1" M NPT	5/pkg	90561
57-0406	1" PEX Press x 1-1/4" M NPT	2/pkg	90566
57-0412	1-1/4" PEX Press x 1-1/4" M NPT	2/pkg	90571
57-0422	1-1/2" PEX Press x 1-1/2" M NPT	2/pkg	90581
57-0423	2" PEX Press x 2" M NPT	5/pkg	90591

Bronze PEX Press Female NPT Adapters - Zero Lead

Use female adapters to make a PEX Press connection between ViegaPEX or FostaPEX tubing and a female NPT thread.

57-0602	1/2" PEX Press x 1/2" F NPT	5/pkg	91520
57-0612	1/2" PEX Press x 3/4" F NPT	5/pkg	91525
57-0618	3/4" PEX Press x 1/2" F NPT	5/pkg	91541
57-0626	3/4" PEX Press x 3/4" F NPT	5/pkg	91540
57-0642	1" PEX Press x 3/4" F NPT	5/pkg	91545
57-0652	1" PEX Press x 1" F NPT	5/pkg	91560

Bronze PEX Press Lav Adapters - Zero Lead

Connect ViegaPEX or FostaPEX tubing directly to faucets with these adapters.
Sleeves not included

57-2241	1/2" PEX Press x 1/2" Lav (metal nut)	pc	97003
---------	---------------------------------------	----	-------




97520



90521



91520



97003




93520



97820



93020



92520

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

Bronze PEX Press Elbows - Zero Lead

Use elbows for making 90 degree PEX Press connections in ViegaPEX or FostaPEX runs.

57-1306	1/2" PEX Press	5/pk	93520
57-1316	3/4" PEX Press	5/pk	93540
57-1326	1" PEX Press	5/pk	93560
57-1332	1-1/4" PEX Press	5/pk	93570
57-1342	1-1/2" PEX Press	5/pk	93580
57-1345	2" PEX Press	1/pk	93590

Bronze PEX Press PB Adapters - Zero Lead

Use these adapters for making repairs to existing polybutylene plumbing systems. Adapters join ViegaPEX or FostaPEX tubing to PB tubing. Both connections use Viega press tooling and sleeves.

57-1002	1/2" PEX Press x 1/2" PB	5/pkg	97820
57-1007	3/4" PEX Press x 3/4" PB	5/pkg	97840

Bronze PEX Press Couplings - Zero Lead

Use these couplings to connect two sections of ViegaPEX or FostaPEX tubing with the PEX Press connection. Use to repair damaged sections or connect long runs.

57-0902	1/2" PEX Press	5/pkg	93020
57-0922	3/4" PEX Press	5/pkg	93040
57-0912	1/2" x 3/4" PEX Press	5/pkg	93050
57-0932	3/4" x 1" PEX Press	5/pkg	93055
57-0942	1" PEX Press	5/pkg	93060
57-0944	1" x 1-1/4" PEX Press	5/pkg	93065
57-0952	1-1/4" PEX Press	5/pkg	93070
57-0935	3/4" x 1-1/4" PEX Press	5/pkg	93071
57-0937	3/4" x 1-1/2" PEX Press	5/pkg	93072
57-0947	1" x 1-1/2" PEX Press	5/pkg	93073
57-0955	1-1/4" x 1-1/2" PEX Press	5/pkg	93075
57-0958	1-1/2" PEX Press	5/pkg	93080
57-0957	2" PEX Press	5/pkg	93090
57-0959	2" x 1-1/2" PEX Press	5/pkg	93091

Bronze PEX Press Male NPT Elbows - Zero Lead

Use male NPT threaded elbows to make a 90 degree PEX Press connection between ViegaPEX or FostaPEX tubing and a female NPT thread.

57-1052	1/2" PEX Press x 1/2" M NPT	5/pkg	92520
57-1062	1/2" PEX Press x 3/4" M NPT	5/pkg	92525
57-1072	3/4" PEX Press x 3/4" M NPT	5/pkg	92540
57-1092	1" PEX Press x 1" M NPT	5/pkg	92560

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

Bronze PEX Press Copper Tubing Elbows - Zero Lead

90 degree elbows connect ViegaPEX or FostaPEX tubing to copper tubing. Bronze PEX Press fittings make baseboard and plumbing connections fast and simple. Sweat elbow fits over standard copper tubing or baseboard. Note - 1/2" PEX Press x 1/2" CTS is same part as for 1/2" PEX Press x 3/4" fitting (machined to fit both sizes).

Bronze PEX Press Female Copper Tubing Elbows

57-1112	1/2" PEX Press x 3/4" Copper (female)	5/pkg	99308
57-1122	3/4" PEX Press x 3/4" Copper (female)	5/pkg	99309

Bronze PEX Press Male Copper Fitting Elbows

57-1182	1/2" PEX Press x 1/2" Copper (male)	5/pkg	99310
---------	-------------------------------------	-------	-------

Bronze PEX Press Male or Female Copper Fitting or Tubing Elbows

57-1102	1/2" PEX Press x 1/2" Copper (female) or 3/4" Copper (male)	5/pkg	99307
---------	--	-------	-------




99308

Bronze PEX Press Tees - Zero Lead

Use these PEX Press tees to join identical sizes of ViegaPEX or FostaPEX tubing.

57-1402	1/2" PEX Press	5/pkg	94020
57-1412	3/4" PEX Press	5/pkg	94040
57-1420	1" PEX Press	5/pkg	94060
57-1423	1-1/4" PEX Press	5/pkg	94070
57-1425	1-1/2" PEX Press	5/pkg	94080
57-1426	2" PEX Press	1/pkg	94090



94020

Bronze PEX Press Reducing Tees - Zero Lead

Use these PEX Press reducing tees to join ViegaPEX or FostaPEX tubing of varying sizes. Labeled "A x B x C".

57-1432	1/2" x 1/2" x 3/4" PEX Press	5/pkg	94022
57-1442	3/4" x 1/2" x 1/2" PEX Press	5/pkg	94032
57-1452	3/4" x 1/2" x 3/4" PEX Press	5/pkg	94034
57-1462	3/4" x 3/4" x 1/2" PEX Press	5/pkg	94036
57-1464	1" x 1/2" x 1/2" PEX Press	5/pkg	94037
57-1470	1" x 3/4" x 1/2" PEX Press	5/pkg	94038
57-1482	1" x 1" x 1/2" PEX Press	5/pkg	94050
57-1472	1" x 3/4" x 3/4" PEX Press	5/pkg	94052
57-1474	1" x 3/4" x 1" PEX Press	5/pkg	94053
57-1492	1" x 1" x 3/4" PEX Press	5/pkg	94056
57-1512	1-1/4" x 1-1/4" x 3/4" PEX Press	5/pkg	94072
57-1509	1-1/4" x 1" x 1" PEX Press	5/pkg	94073
57-1514	1-1/4" x 1-1/4" x 1" PEX Press	5/pkg	94074
57-1516	1-1/2" x 1" x 3/4" PEX Press	5/pkg	94081
57-1522	1-1/2" x 1" x 1" PEX Press	5/pkg	94082
57-1526	1-1/2" x 1-1/2" x 3/4" PEX Press	5/pkg	94083
57-1530	1-1/2" x 1-1/2" x 1" PEX Press	5/pkg	94084
57-1532	1-1/2" x 1-1/2" x 1-1/4" PEX Press	5/pkg	94085
57-1538	2" x 1-1/2" x 1-1/2" PEX Press	5/pkg	94093



94022




94520



97001



ML10499



ML11446



696-2303VF



98000

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

Bronze PEX Press Drop Ear Elbows - Zero Lead

Drop ear elbows provide a secure PEX Press connection with a female NPT thread exiting a wall or floor at a 90 degree angle.

57-1702	1/2" PEX Press x 1/2" F NPT	5/pkg	94520
57-1704	3/4" PEX Press x 3/4" F NPT	5/pkg	94540

PEX Press Washing Machine Outlet Box - Zero Lead

Wall mounted box for hot and cold washing machine connections. 1/4 turn 1/2" PEX Press valves with color coded handles included.

Sleeves included

57-2254	Washing Machine Outlet Box w 1/2" PEX Press Valves	pc	97001
---------	--	----	-------

PEX Press Washing Machine Outlet Box - Mainline

Wall mounted box for hot and cold washing machine connections. 1/4 turn 1/2" PEX Press valves with color coded handles included. Dual outlet drain.

Sleeves not included - Use Rohaco # 58-4010

57-2249	Washing Machine Outlet Box	pc	ML10499
57-2253	Washing Machine Outlet Box with Hammer Arrestor	pc	ML10507

PEX Press Ice Maker Outlet Box - Lead Free - Mainline

Wall mounted box for ice maker connection. 1/4 turn 1/2" PEX Press valve included.

Sleeve not included - Use Rohaco # 58-4010

57-2258	Ice Maker Outlet Box with 1/2" PEX Press Valve	pc	ML11446
---------	--	----	---------

Ox Box PexPress Washing Machine Outlet Box - Sioux Chief

Wall mounted box for hot and cold washing machine connections. 1/4 turn 1/2" Viega PEX Press. Not for potable water.

Sleeves included

57-2256	Washing Machine Outlet Box with 1/2" PEX Press Valve	pc	696-2303VF
---------	--	----	------------

Ox Box PexPress Ice Maker Outlet Box - Zero Lead

Wall mounted box for ice maker connection. 1/4 turn Viega PEX Press Valve included.

Includes sleeves

57-2266	Ice Maker Outlet Box with 1/2" PEX Press Valve	pc	98000
---------	--	----	-------

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

PEX Press Copper Tub Els

Copper tub els allow ViegaPEX or FostaPEX runs to easily transition into tub and shower valves.

57-1802	1/2" PEX Press x 1/2" Copper (3" x 6")	25/pkg	92221
---------	--	--------	-------

PEX Press Copper Stub-out Elbows

Copper PEX Press stub-outs transition ViegaPEX or FostaPEX tubing to copper for termination at the wall.

57-1814	1/2" PEX x 1/2" Copper (3-1/2" x 8") - Sioux Chief	25/pkg	630VG248
57-1813	3/4" PEX x 3/4" Copper (3-1/2" x 8") - Mainline	25/pkg	92441

PEX Press Copper Straight Stub-outs - Zero Lead

These copper stub-outs transition ViegaPEX or FostaPEX tubing to copper with a Bronze PEX Press fitting.

Sleeves not included

57-1821	1/2" PEX Press x 1/2" Copper (8")	25/pkg	92609
57-1831	1/2" PEX Press x 1/2" Copper (15")	25/pkg	92616

Stainless Steel Compression Insert Stiffeners

The stainless steel insert stiffeners are used to maintain a firm shape inside ViegaPEX tubing when making a compression connection.

57-2280	1/2" Insert Stiffener	50/pkg	56120
---------	-----------------------	--------	-------

Finishing Sleeves

Use these chrome sleeves to cover exposed ViegaPEX tubing between walls and valves. Each sleeve is 3.5" long.

57-2300	1/2" PEX	10/pkg	52520
---------	----------	--------	-------



92221



92441



92609



56120



52520




93511

94031



94521



51020



50520



51021



15107

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

PEX Press Straight & Angle Stop Valves - 1/4 Turn - Zero Lead

These valves allow fixture shut-off at the press connection between ViegaPEX or FostaPEX tubing and standard fixture risers.

57-2215	1/2" PEX Press x 1/4" Angle CTS (3/8" OD) Compression (chrome) 1/4 turn	10/pkg	93511
57-2205	1/2" PEX Press x 1/4" Straight CTS (3/8" OD) Compression (chrome) 1/4 turn	10/pkg	94031

Pex Press Ball Valves - Zero Lead

Standard bore in-line ball valves for use with the PureFlow PEX Press fitting system. Brass finish.

57-2152	1/2" PEX Press	10/pkg	94521
57-2162	3/4" PEX Press	10/pkg	94541

Plastic Bend Supports

Plastic bend supports allow tight 90 degree bends to be made in ViegaPEX tubing without kinking. Not for use with FostaPEX.

57-1900	1/2" PEX	25/pkg	51020
57-1905	5/8" & 3/4" PEX	25/pkg	51040
57-1910	1" PEX	25/pkg	51060

Drop Ear Bend Supports

Use drop ear bend supports to guide ViegaPEX tubing that exits floors or walls at a 90 degree angle. Light and durable plastic. Not for use with FostaPEX.

57-1860	1/2" PEX	25/pkg	50520
---------	----------	--------	-------

Snap-in Bend Supports

Snap-in bend supports provide fast, simple stub-outs in all types of framing. Bracket attaches to studs and bend supports snap in on 2 inch centers. Not for use with FostaPEX.

57-1865	1/2" PEX Snap in Bend Support	100/pkg	51021
57-1875	Bracket for 1/2" Snap in Bend Support 20"	50/pkg	51022

Plastic Bend Supports for Slab

Plastic bend supports allow tight bends to be made at concrete entry points and protect ViegaPEX tubing from abrasion. Not for use with FostaPEX.

57-1950	1/2" PEX	10/pkg	15107
57-1955	5/8" & 3/4" PEX	10/pkg	15108
57-1960	1" PEX	10/pkg	15111

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

FostaPex Prep Tool

This tool peels the outer PE and aluminum layers from the FostaPEX tubing, allowing it to be compatible with the standard Viega PureFlow PEX Press system

57-2614	1/2" & 3/4"	pc	54030
57-2615	5/8" & 1"	pc	54050
57-2616	Replacement Blade	pc	54075

Tubing Cutters

These tubing cutters allow an even, square cut. Ratcheting cutter recommended for FostaPEX.

57-2620	Basic - up to 1" PEX	pc	21304
---------	----------------------	----	-------

PEX Press Tools

With its ratcheting design, the PEX Press tool ensures a complete press connection every time. The tool cannot be opened until the fitting has been properly pressed. Color coded handles allow easy identification of each size.

57-2600	PEX Press Tool, 1/2" yellow	pc	50020
57-2605	PEX Press Tool, 3/4" blue	pc	50040
57-2610	PEX Press Tool, 1" orange	pc	50060

PEX Press Tool Sets

These sets of tools allow the user to quickly begin installing the Viega PEX Press System. Starter set includes 1/2" and 3/4" PEX Press tools and basic tubing cutter in a convenient carrying case. The case has additional slots for adding 3/8" and 1" tools as needed.

57-2598	Starter PEX Press Tool Set	set	56000
---------	----------------------------	-----	-------




54030



21304



50020



56000



Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

M18™ Short Throw Press Tool w/Viega PureFlow™ Jaws

2674-22P	Press Tool Kit		.1325927
Kit Includes:			
	(1) M18™ Short Throw Press Tool (2674-22)		
	(2) M18™ REDLITHIUM™ XC Extended Capacity Battery (48-11-1828)		
	(1) M18™ & M12™ Multi-Voltage Charger (48-59-1812)		
	(1) M18™ 1/2" Jaw (49-16-2631P)		
	(1) M18™ 3/4" Jaw (49-16-2633P)		
	(1) M18™ 1" Jaw (49-16-2634P)		
	(1) Hard Carrying Case		



56053

PureFlow Press Jaws - Compact

57-2710	1/2" Compact PEX Press Jaw	pc	56053
57-2720	3/4" Compact PEX Press Jaw	pc	56055
57-2730	1" Compact PEX Press Jaw	pc	56056
57-2740	1 1/4" Compact PEX Press Jaw	pc	56060
57-2750	1 1/2" Compact PEX Press Jaw	pc	56061



56075

PureFlow Press Jaws - Standard

57-5000	1/2" Standard PEX Press Jaw	pc	56073
57-5001	3/4" Standard PEX Press Jaw	pc	56075
57-5002	1" Standard PEX Press Jaw	pc	56076
57-5003	1 1/4" Standard PEX Press Jaw	pc	56080
57-5004	1 1/2" Standard PEX Press Jaw	pc	56081
57-5005	2" Standard PEX Press Jaw	pc	56082

Poly PEX Press Fitting System

Introducing Viega's new Poly PEX Press fittings! These new fittings, combined with Viega's existing PEX Press fittings, form a complete system solution. Made from Radel-R®, the highest quality plastic material, these innovative fittings have all the benefits of Viega's PEX Press fitting system and more!

Features and benefits:

- Smart Connect® feature helps installers identify unpressed connections
- Made in the U.S.A. at Viega's Manufacturing and Distribution Facility in McPherson, KS
- NSF-61 approved for use in potable water systems
- Applicable for use in radiant heating systems

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

PEX Press Plastic Couplings

Smart Connect feature. Zero Lead. Model V5615

Press x Press

57-6000	1/2" x 1/2"	25/pkg	49403
57-6002	1/2" x 3/4"	25/pkg	49343
57-6004	3/4" x 3/4"	25/pkg	49404
57-6006	3/4" x 1"	10/pkg	49354
57-6008	1" x 1"	10/pkg	49405
57-6010	1-1/4" x 3/4"	5/pkg	49347
57-6014	1-1/4" x 1"	5/pkg	49357
57-6018	1-1/4" x 1-1/4"	5/pkg	49407
57-6012	1-1/2" x 3/4"	5/pkg	49348
57-6016	1-1/2" x 1"	5/pkg	49358
57-6020	1-1/2" x 1-1/4"	5/pkg	49378
57-6022	1-1/2" x 1-1/2"	5/pkg	49408
57-6028	2" x 1-1/2"	5/pkg	49398
57-6026	2" x 2"	5/pkg	49409

PEX Press Plastic Elbows

Smart Connect feature. Zero Lead. Model V5616

Press x Press

57-6015	1/2" x 1/2"	25/pkg	49220
57-6017	3/4" x 3/4"	25/pkg	49240
57-6019	1" x 1"	10/pkg	49260
57-6021	1-1/4" x 1-1/4"	5/pkg	49270
57-6023	1-1/2" x 1-1/2"	5/pkg	49280
57-6024	2" x 2"	5/pkg	49290

PEX Press Plastic Plugs

Smart Connect feature. Zero Lead. Model V5656

Press

57-6065	1/2"	25/pkg	49723
57-6067	3/4"	25/pkg	49744
57-6069	1"	10/pkg	49765




49403



49220



49723




49520



49334



49902

Code#	Description	Pkg	Mfg#
-------	-------------	-----	------

PEX Press Plastic Standard Tees

Smart Connect feature. Zero Lead. Model V5618

Press

57-6025	1/2"	25/pkg	49520
57-6027	3/4"	25/pkg	49540
57-6029	1"	10/pkg	49560
57-6031	1-1/4"	5/pkg	49570
57-6033	1-1/2"	5/pkg	49580
57-6035	2"	5/pkg	49590

PEX Press Plastic Reducing Tees

Smart Connect feature. Zero Lead. Model V5618

Dimensions listed as labeled, A x B x C

Press x Press x Press

57-6040	1/2" x 1/2" x 3/4"	25/pkg	49334
57-6042	3/4" x 1/2" x 1/2"	25/pkg	49433
57-6044	3/4" x 1/2" x 3/4"	25/pkg	49434
57-6046	3/4" x 3/4" x 1/2"	25/pkg	49443
57-6048	1" x 1/2" x 1/2"	10/pkg	49533
57-6052	1" x 1/2" x 1"	10/pkg	49535
57-6050	1" x 3/4" x 1/2"	10/pkg	49543
57-6056	1" x 3/4" x 3/4"	10/pkg	49544
57-6058	1" x 3/4" x 1"	10/pkg	49545
57-6054	1" x 1" x 1/2"	10/pkg	49553
57-6060	1" x 1" x 3/4"	10/pkg	49554
57-6062	1-1/4" x 1" x 3/4"	5/pkg	49754
57-6064	1-1/4" x 1" x 1"	5/pkg	49755
57-6066	1-1/4" x 1-1/4" x 3/4"	5/pkg	49774
57-6068	1-1/4" x 1-1/4" x 1"	5/pkg	49775
57-6070	1-1/2" x 1" x 3/4"	5/pkg	49854
57-6072	1-1/2" x 1" x 1"	5/pkg	49855
57-6074	1-1/2" x 1-1/2" x 3/4"	5/pkg	49884
57-6076	1-1/2" x 1-1/2" x 1"	5/pkg	49885
57-6078	1-1/2" x 1-1/2" x 1-1/4"	5/pkg	49887
57-6080	2" x 1-1/2" x 1"	5/pkg	49985
57-6082	2" x 1-1/2" x 1-1/4"	5/pkg	49987
57-6084	2" x 1-1/2" x 1-1/2"	5/pkg	49988
57-6086	2 x 2" x 3/4"	5/pkg	49994
57-6088	2 x 2" x 1"	5/pkg	49995
57-6090	2 x 2" x 1-1/4"	5/pkg	49997

PEX Press Plastic Replacement Sleeves

Only for Viega PEX Press polymer fittings. Stainless steel.

57-1552	1/2" PEX Press	10/pkg	49902
57-1557	3/4" PEX Press	10/pkg	49903
57-1562	1" PEX Press	10/pkg	49904